

GENERAL FLOODPLAIN PERMIT INSTRUCTIONS UNINCORPORATED CARTER COUNTY, OKLAHOMA

To comply with the Carter County Flood Damage Prevention Regulations and to minimize potential flood damage, if you are building within an identified flood hazard area, you must agree to construct your proposed development in accordance with the provisions of said regulation:

1. For **RESIDENTIAL** structures, the lowest floor (including basement) must be elevated to at least one (1) foot above the Base Flood Elevation (1% chance flood elevation). See provisions for manufactured homes in local regulations.
2. For **NON-RESIDENTIAL** structures, the lowest floor (including basement) must be elevated to at least one (1) foot above the Base Flood Elevation, or flood proofed to withstand the flood depths, pressures, velocities, impact, and uplift forces associated with the 1% chance flood.
3. For **ALL STRUCTURES**, the foundation and the materials used must be constructed to withstand the pressures, velocities, impact, and uplift forces associated with the 1% chance flood.
4. All **UTILITY** supply lines, outlet switches, and equipment must be installed and elevated so as to minimize damage from potential flooding. Water and sewer connections must have automatic back-flow devices installed.
5. You must submit **CERTIFICATION FROM A LICENSED ENGINEER, ARCHITECT, OR LAND SURVEYOR** that the floor elevation and/or flood proofing requirements have been met. Failure to provide the required certification is a violation of this permit.
6. Other provisions—Oil & Gas please download **Additional Instructions for Oil & Gas**.

AUTHORIZATION:

I have read or had explained to me and understand the above special provisions for floodplain development. Authorization is hereby granted the permitting authority and their agents or designees, singularly or jointly, to enter upon the property described on the application during daylight hours for the purpose of making inspections or for any reason consistent with the issuing authority's floodplain management regulation. I further verify that the information provided by me on the application is true and accurate to the best of my knowledge and belief.

<hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> Signature of Applicant	<hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> Date
---	---

All completed Floodplain Permit applications must be returned to Carter County Floodplain Administration:

By Mail:
 Carter County FPA
 25 A Street NW, STE 111
 Ardmore, OK 73401

By Fax:
 580-223-8362

By Email:
 ccema@cartercountyok.us